

**SUPPLY, DELIVERY AND INSTALLATION OF
FULL COLOR LED WALL**

UNIT	PARTICULAR	QTY.	TOTAL COST
Lot	9 ft x 22 ft Full Color LED Display Screen Simple steel cabinet (fixed type) 5x10 =50 cabinets	1	1,757,750.00
sqm	P 3 Indoor LED Display 2.88m x 5.76m	16.58	
	1000*500*80mm		
	Pixel pitch	3mm	
	Pixel configuration	SMD 2121 3in1 LED (Epistar LED chip)	
	Pixel density	111,111/m ²	
	Module size	192*192mm	
	Module thickness	14.66mm without magnetic column	
	Module weight	0.31kg	
	Driving method	1/32 constant current	
	Image technology	Real Pixel	
	Refresh rate	≥2000 Hz	
	Brightness	≥1500nits	
	Best viewing distance	3m-20m	
	Best viewing angle	160°(H)/120°(V)	
	Gray scale/colors	65,536 level (color range 281 trillion)	
	Processing depth	16bit	
	Brightness control	256 levels automatically	
	Max. Power consumption	680W/SQ.M	
	Avg Power consumption	270W/SQ.M	
	MTBF	>9,000 hours	
	Lifetime	100,000 hours	
unit	Video Processor:	1	
	<p>New generation video enhancer. Seamless Switching Fade in Fade out Switching Blend Switching. Two signal switching ways: one key switch and Pre. +Take switch. 3 sets of custom dual picture display mode. Input signal hot spare function to ensure output more stable. AIAO (Any In Any Out) function, any interception and any output. Custom input DVI EDID to realize perfect pixel to pixel display. Custom output format. Single unit maximum output horizontal 3840 pixels or vertical 1920 pixels. DVI Loop unlimited cascade to realize sync. Mosaic to drive indefinite LED lattice. Frame sync technology. Supports RTC clock record function. Wireless WIFI, front panel button, infrared remote control, PC software, 2 channels configurable external audio inputs. Plus HDMI and DP total 4 channels audio sync switch. Built in 2 pieces LED sending cards (compatible 4*RJ45 ports sending cards.</p>		

set Laptop, 14" HD Anti Glare LED 1

Backlit Display Intel Core i5
8th Gen 1.60 GHz Processor,
(6M Cache, up to 3.40 GHz)
4GB, DDR4, 2400MHz
520 Graphics with 2GB GDDR5
Integrated Widescreen HD 720P Webcam
with single digital mic
Wireless card (802.11 ac + Bluetooth 4.1,
Dual Band 2.4 & 5 GHz, 1x1)
DVD-RW Drive Stereo speakers
sound card

unit Video mixer, 4-channel, all in one video mixer 1


with HDMI in/out, USB streaming out,
and built-in multiviewer with touch control
approx. 230(W) x 300(D) x 110(H)mm, approx. 2.7kg
with AC adaptor, power cord,
RCA-BNC conversion plug x2

Lot Electrical Materials and accessories 1


Inclusions / Other Requirements:


1. Fixed Steel Framing (attached specification)
2. Site Inspection
3. Installation
4. Delivery on Site
5. Complete accessories for electrical distribution
6. Basic Training and Troubleshooting for 5 technicians and operators
7. 2 years – warranty

Prepared by:


JULIO G. ALAVA
VP for External and Business Affairs

Certified Correct:


BIENVENIDO C. SARMIENTO, Jr.
TWG Chair, Computer and Office Equipment


SHERYL D. FENOL
TWG Member, Computer and Office Equipment

