Republic of the Philippines

CAVITE STATE UNIVERSITY Don Severino de las Alas Campus

Indang, Cavite, Philippines

(046) 4150-010 / (046) 4150-0013 loc 203

www.cvsu.edu.ph

INVITATION TO SUBMIT QUOTATION Supply and Delivery of Various Equipment for CvSU – DOE Project

1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project "Supply and Delivery of Various Equipment for CvSU – DOE Project" with an Approved Budget for the Contract (ABC) of Four Hundred Eighty-Two Thousand Three Hundred Pesos Only (PhP 482,300.00). Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	1	unit	Desktop Computer, i7 8 th Gen., 8GB DDR4 Memory, 256SSD Storage + 1TB HDD, 15.6" LED Display, 2GB RAM with Type-C USB/RJ45/HDMI/USB3.1 and 3.5mm audio jack video, Windows 10, With USB Wired Full- Sized Keyboard and Optical Mouse with Pad	65,000.00	65,000.00
2.	1	unit	Printer, multifunction (print, copy, scan, fax, Wi-Fi)	20,000.00	20,000.00
3.	1	unit	3D Printer, high speed printing, 200mm x 220mm x 300mm, BL touch auto leveling, industrial circuit board and built-in motherboard, magnetic sticker and resume printing function can print with all kinds of 3D printing, suitable for multiple materials, compatible with ABS, PLA, soft glue, wood, carbon fiber and more materials	26,000.00	26,000.00
4.	1	рс	Eagle CAD Software for PCB design	45,000.00	45,000.00
5.	2	units	Handheld Multimeter, digital, resistance and continuity, frequency and capacitance, maximum voltage ac/dc 600V, 10A ac/dc current measurement, CAT III 600V safety rated, DC voltage accuracy of 0.5% + 2, DV voltage lowest resolution of 0.1mV, AC voltage accuracy of 2.0% + 3, AC voltage lowest resolution of 0.1mV, AC voltage mix frequency of 1kHz	15,000.00	30,000.00
6.	2	units	Clamp Meter, digital, measures true RMS, AC/DC voltage, AC/DC current (Mac 600A), resistance, capacitance, frequency, duty cycle, continuity, and diode test, with overload protection and low battery indication or absolute maximum AC current measurement of 700A ac, absolute maximum ac voltage measurement of 600V ac, absolute maximum DC voltage measurement of 600V dc, absolute maximum resistance measurement of 400Ω, AC current measurement resolution of 100mA	15,000.00	30,000.00

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
7.	2	units	Photo/Contact Digital Tachometer; Wide Measuring Range – 0.5 to 100,000 RPM, 0.1 RPM resolution; High precision with 0.05% accuracy; Memorize the last vale, max. value, min. value; High visible LCD display	8,000.00	16,000.00
8.	2	units	Anti-Static Heating and Rework Soldering Station; Input Voltage – 100V/220V; Output Temperature – 200°C - 480°C; Temperature Stability – Stable; Output Power – 60W; Heating Ceramic; Idle Temperature - ±2°C; Still Air Ambient Temperature – 0 – 40°C; Tip to Ground Potential; Handle Cord Assembly – 1.2m	6,000.00	12,000.00
9.	1	unit	Battery Tester Indicator, heavy duty, suitable for 6V & 12V batteries, 12V charging/start system, up to 1,000 CCA(CAE), completely portable shock-resistant ventilated cover, color-coded copper -plated clamps	3,000.00	3,000.00
10.	2	units	Cable Continuity Tester, non-contact probe audibly identifies selected wire or cable, easy trace wire form source to termination, adjustable sensitivity control improves wire identification and eliminates false detection, continuity test audible/visible indication, network wire collation function and sequence collation, open circuit or short circuit testing function, DC level testing function, low voltage alarm, test BNC, coaxial, RCA modular cables	2,000.00	4,000.00
11.	2	sets	Screwdriver, assorted, cushion grip screwdriver set, Phillip #0 x 60mm, #1 x 100mm, 2 x 45mm, 2 x 150mm, slotted 3 x 75mm 5 x 100mm, 6.5 x 45mm, 6.5 x 150mm	1,0000.00	2,000.00
12.	2	units	Wire Stripper with Crimper; Self-adjusting – strip wire from 10 to 24 AWG with self-adjusting mechanism; Jaw Width – 2"; Adjustable Stopper – control the length of the core strip with the built-in adjustable stopper; Crimping – crimp 10 – 22 AWG insulated, 10 – 22 AWG non-insulated, and 7 – 9mm ignition terminals; Stripping – strip wire from 10 – 24 AWG while swivel knob micro-adjusts to strip gauges smaller than 20 AWG	2,000.00	4,000.00
13.	2	units	Masonry Drill, cordless; battery operated; Capacity: Steel – 13mm (1/2"), Wood – 36mm (1-7/16"), Masonry – 13mm (1/2"); Impacts per Minute (IPM): High – 0 – 19,500, Low – 0 – 6,000; No Load Speed (RPM): High – 0 – 1,3000, Low 0 – 400; Max. Fastening Torque: Hard – 42Nm, Soft – 27Nm; Max. Lock Torque: 38Nm (340 in lbs) 18V battery	7,000.00	14,000.00
14.	2	units	Screw Drill, cordless, battery operated,3.6V Lilon cordless screwdriver, built-in battery, convertible both straight form and pistol form for comfortable operation, built-in LED job light	6,000.00	12,000.00

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
			with independent on/off switch, On/Off switch		
			with forward and reverse modes, adjustable		
			hinged handle, rubber cap, 220rpm load speed		
15.	2	pcs	Side Cutting Plier	500.00	1,000.00
16.	2	pcs	Long Nose Plier	650.00	1,300.00
17.	2	units	Heat Gun, 220V AC, 600W or higher	1,000.00	2,000.00
18.	1	unit	Treadmill, standard manual and magnetic, 4-	50,000.00	50,000.00
			way, with stepper, push-up twister, 5" Windows		
			LCD, timer, calories speed, pulse distance, 2		
			manual incline, hand pulse, foldable		
19.	1	unit	Stationary Bike; 400lbs max. user weight;	35,000.00	35,000.00
			tension control; push break; heavy duty metal		
			frame; adjustable seat lower/higher; adjustable		
			seat backward/forward; adjustable handle;		
			LCD features – time, speed, distance, cal.		
20.	1	unit	Seat Cable Exercise Machine; Cement Weight	50,000.00	50,0020.00
			Plates with 105lbs; Stack Weight Training		
			MSc. User Weight – 120kgs or 265lbs;		
			combination chest press/fly situation		
21.	1 1	unit	Cable Cross Exercise Machine; compact cable	25,000.00	25,000.00
			crossover, 2 x 4 x 2mm steel frame; black		
			textured powder coat finish multi-position		
			adjustable pulley; heavy duty; 200lbs plate		
			stack per side total of 400lbs; comes with plate		
			covers each side for safety; comes with central		
			board to hold cable attachments; complete		
			cable accessories		
22.	2	unit	Merry-Go Round, standard size for playground,	20,000.00	20,000.00
			for aged 3 – 12 years; diameter – 4ft Outer		
			Frame; OD Pipe Handle – 32mm; OD MS Pipe		
			Height – 25mm, Center Pipe – 3ft; MS Pipe		
		!4	Bearing – 2"; heavy duty ball bearing	45,000,00	45,000,00
23.	1	unit	Cross Swing, standard size for playground; 2-	15,000.00	15,000.00
			person glider promotes friendship and		
			interaction among children; For children from 3		
			to 10 years old; Maximum kids on swing set at		
			the same time – 2; Maximum Individual Weight		
- 99lbs (45kg); 5.25 x 10.5 x 6ft TOTAL AMOUNT 4					
TOTAL AMOUNT					

2. The quotation must be submitted to the Supply Office through mail, fax or email at the contact details listed below **on or before 5:00 PM** of **October 9, 2020**.

Supply Office, Administration Building Cavite State University Address

Indang, Cavite

supplyoffice@cvsu.edu.ph E-mail

(046) 862-0852 Telefax

3. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

PRECIOSA G. ERAÑA

BAC Secretary, Goods and Services