














Lot 6- Rescuers and Responders' Team PPEs and equipment

NO.	ITEM DESCRIPTION	SPECS	QUANTITY	UNIT COST	TOTAL COST	REFERENCE PICTURE
1	Rescue Gloves	<ul style="list-style-type: none"> Material(s): goat skin leather, stretch nylon Certification(s): CE EN 420, CE EN 388 (3133) 	200	2,350.00	470,000.00	
2	Coated Fabric Gloves	<ul style="list-style-type: none"> ANSI Cut Resistant Level: 3 Material: Nylon + Nitrile Rubber Color: Gray 	400	500.00	200,000.00	
3	Safety Goggles	<ul style="list-style-type: none"> Wrap-around design for greater peripheral vision Anti-fog coating and indirect vents to minimize fogging during work. Hard polycarbonate lens offering scratch resistance and 99% reduction of UV. Meets ANSI Z87.1 standards Anti-Mist Coating Scratch Resistant Frame Material: PVC Vented UV Protection Lens Color: Clear 	400	1,000.00	400,000.00	
4	Safety Glasses	<ul style="list-style-type: none"> Lens Color: Clear Style Type: Spectacles UV Protection Scratch Resistant Anti-Mist Coating Eye Protection (F, K, N, T) Frame and Lens Material: Polycarbonate (PC) Vented 	200	600.00	120,000.00	
5	Search & Rescue Tactical Helmet	<ul style="list-style-type: none"> High strength Lexan polycarbonate copolymer shell High-cut shell design with clearance for ear protection and communications headsets Military-style Cam-lock sliders for one-handed adjustment and secure fit Pass-through for securing headlamp or goggle straps Two removable vent covers Meets the requirements of EN12492:2012 Standard for Mountaineering Helmets Meets the requirements of EN1385:2012 Standard for Whitewater Helmets Meets Advanced Combat Helmet blunt impact requirements (per AR/PD 10-02 Rev A) Meets additional off-crown impact requirements of EN 14052:2012 European standard for high performance industrial helmets 	200	3,000.00	600,000.00	
		<ul style="list-style-type: none"> ANSI Requirements: <ul style="list-style-type: none"> oANSI Z89.1-2009 Type 1 Features: <ul style="list-style-type: none"> o Improved upward visibility, o Replaceable brow pad, Smooth easy o Turning 4-Point Ratchet Suspension o Material: High Density Polyethylene o Overall Height (Imperial): Approx 16.75 Inch 				

6	Hard Hat (Orange)	<ul style="list-style-type: none"> o Overall Height (Metric): Approx 42.55 cm o Overall Length (Imperial): Approx 22.38 Inch o Overall Length (Metric): Approx.56.85 cm o Overall Width (Imperial): Approx. 18.38 Inch o Overall Width (Metric): Approx. 46.69 cm o Color: Orange o Product Type: Front Brim Hard Hat o Shelf Life: Approx. 5 Year o Size: One Size Fits All 	200	2,000.00	400,000.00	
7	1000 Lumens Head Lamp	<ul style="list-style-type: none"> • Lifespan of 50,000 hours • Powered by one 18650 rechargeable Li-ion battery or two CR123A batteries • Light: Approx. 60 mm × 54 mm × 32.5 mm • Battery case: Approx. 82.5mm × 50mm× 35mm • Weight: 183.5 grams excluding battery • Dual switch controls • Soft floodlight beam with max beam angle of 90° • 60-degree tilt mechanism • Lamp body made of aluminum alloy • Micro-USB charging port (5V/1.3A , available in 18650 batteries) • Red light for nighttime illumination and alerting • Battery level indicator 	200	4,000.00	800,000.00	
8	Handheld LED Spotlight Flashlight	<ul style="list-style-type: none"> • High Power Outdoor Handheld Portable Flashlight • Rechargeable 6000 Lumens LED spotlight • Torch Searchlight • Multi-function Long Shots Lamp • 9000ma 35W 	200	3,990.00	798,000.00	
9	Compact Tactical Searchlight	<ul style="list-style-type: none"> • Max Output 1800 Lumens • Max Beam Distance 226 m • Max Beam Intensity 12760 cd • Max Runtime 250hours • Battery 1 × 18650 , 2 × CR123 • Special Modes Location Beacon,SOS,Strobe • Beam color White light • Feature Tail Stand • Length: Approx. 145 mm • Head Size: 25.4 mm • Weight: Approx. 100g 	200	1,800.00	360,000.00	
10	Elbow and Knee Pads	<p>– Knee Pad</p> <ul style="list-style-type: none"> •600 denier nylon shell •Injection-molded flex cap design •Closed-cell foam padding provides excellent shock resistance and little or no moisture retention •Allows maximum flexibility for ease of movement and comfort •Minimizes gap between bottom of cap and nylon carrier when flexed •Padded side extensions provide additional comfort and improved strap positioning •Contoured interior ledge keeps pad from slipping downward •Elastic hook & loop straps <p>– Elbow Pad</p>	200	3,000.00	600,000.00	

		<ul style="list-style-type: none"> •Soft rubber cap is skid-resistant and provides protection and flexibility •Nylon cover •Compression recovery 1/2" Neoprene foam padding provides firm, consistent support without bottoming out •Finished brushed tricot liner wicks away moisture and keeps out dirt and debris •Secured with 4 brass grommets •Two elastic straps with hook & loop fastening system •Adjustable to fit most sizes 				
11	Cyalume Snaplight/Lightsticks	<ul style="list-style-type: none"> •Set of 2: Color Green - 12 Hours / Color White - 8 Hours •Phthalate free •Non-toxic •Non-flammable •Weatherproof 	200	2,000.00	400,000.00	
12	ICS High Visibility Jacket	<ul style="list-style-type: none"> •Jacket Fastening With Zip Under Storm Flap •Bottom Of Sleeves With Bias Finishing •High Visibility: Class 3 - Silver Colour •Shoulder-Belt Assembly •4 Pockets •Softshell 100% Polyester Fabric •3 Laminated Layers 	250	400.00	100,000.00	
13	ICS High Visibility Vest	<ul style="list-style-type: none"> •Unisex, Chaleco Type Safety Vest with Gray Reflector •Fabric Type: Broadcloth, Quick Dry, Reflective, •Color: Apple Green or Orange •Material: Poly-cotton 	250	350.00	87,500.00	
16	General Purpose Safety Vest	<ul style="list-style-type: none"> •General Purpose Safety Net Vest •Button Type •Adjustable shoulder •With ID Holder and Cell phone pocket •Color: Orange 	200	200.00	40,000.00	
17	Whistle	<ul style="list-style-type: none"> • Dimension (Opened/ Inflated): Approx. 5 x 0.2 (H) cm • Material: Aluminum alloy or Stainless Steel • With carabiner 	200	200.00	40,000.00	
18	Face Shield Visor with Browguard	<ul style="list-style-type: none"> • Polycarbonate • Clear • Approx. 8" x 15 1/2" x 1.0mm • heat and impact resistance 	200	520.00	104,000.00	
19	Safety Foot Wear with Steel Toe	<ul style="list-style-type: none"> o Safety Shoes (High Cut) o Type: Comfort o Standard: S3 o Upper: Cow Grain Leather o Insole: 4mm Eva Insole o Sole: Steel Plate o Midsole: Polyurethane (Pu) o Outsole: Polyurethane (Pu) o Toe Cup: Steel Toe o Style: Scuff Caps • Resistance: Oil, Alkali, Slip and Water Resistance • OSHC Certified 	200	1,900.00	380,000.00	
22	Reusable Ear Plug	<ul style="list-style-type: none"> • Body Material: TPE Molded • Product Type: Ear Plugs Type I Flange • Noise Reduction Rating NNR: -25 db • Color: Orange 	300	300.00	90,000.00	
		<ul style="list-style-type: none"> • Tapered design fits comfortably in ear canals. 				

23	Single Use Ear Plug	<ul style="list-style-type: none"> Materials: Soft polyurethane foam Hypoallergenic. Noise Reduction Rating (NRR): 29 dB, CSA Class AL 	1000	50.00	50,000.00	
24	High Visibility Rain Gear (Neon Green)	<ul style="list-style-type: none"> High visibility rainwear jacket and pants Waterproof with sealed seams Reflective material Storm flap for protection against wind and rain Elastic waist pant with draw cord 2 inch silver reflective tapes enhances visibility in low-light conditions Heat welded seams Non-conductive hardware Non-rusting closures Raglan sleeve design for comfort and freedom of movement 100% waterproof 	300	800.00	240,000.00	
25	Rubber Boots	<ul style="list-style-type: none"> Description: Super Tuff Yellow Sole 14" Color: Black Boots Specs: <ul style="list-style-type: none"> 100%PVC Material Good physical properties Seamless injection process for good waterproof function Resistant to mild acids, alkali and oils 3 trim heights for wearer comfort Steel toe cap conforms to ANZI 41 Class 75 	300	900.00	270,000.00	
26	Caution Tape	<p>Model: Caution</p> <ul style="list-style-type: none"> 76mm x 305M Price: 1,840 <p>Model: Danger</p> <ul style="list-style-type: none"> 76mm x 305M Price: 1,840 <p>Model: Caution-T</p> <ul style="list-style-type: none"> 76mm x 305M Price: 920 	76	2,000.00	152,000.00	
27	Traffic Baton	<ul style="list-style-type: none"> Material: Polycarbonate Approx. Length: 55cm Battery: UM-1 x 2 pcs, Voltage: DC 3V 2 Section Function: On and blinking 	100	1,200.00	120,000.00	

Total **6,821,500.00**

|



