

Republic of the Philippines **CAVITE STATE UNIVERSITY Don Severino de las Alas Campus** Indang, Cavite, Philippines <sup>™</sup> (046) 4150-0013 loc 203 www.cvsu.edu.ph

## INVITATION TO SUBMIT QUOTATION Supply and Delivery of Laboratory Supplies and Equipment for Wet Processing Technology

 The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project "Supply and Delivery of Laboratory Supplies and Equipment for Wet Processing Technology" with an Approved Budget for the Contract (ABC) of Nine Hundred Fifteen Thousand Eighty Pesos and 39/100 Only (PhP 915,080.39). Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	400	Pieces	Screw capped test tubes, 150 x 16mm	100.00	40,000.00
2.	6	Pieces	80 well microcentrifuge tube racks	1,020.00	6,120.00
3.	10	Bottle	Reagent bottle, 500 ml	369.00	3,690.00
4.	10	Bottle	Reagent bottle, 250 ml	259.00	2,590.00
5.	2	Pieces	Beaker, 2000 ml	2,750.00	5,500.00
6.	4	Pieces	Cylindrical Magnetic Stir Bar, 10mm x 40mm, 12mm x 50mm, 7mm x 20mm, 6mm x 15mm	900.00	3,600.00
7.	4	Pieces	L-rods	140.00	560.00
8.	250	Pieces	Petri plates, Glass Pyrex, 15 x 100mm	132.30	33,075.00
9.	5	Pack	Microcentrifuge tubes (1.5 ml) 1000 pcs. /pack	800.00	4,000.00
10.	3	Packs	Microcentrifuge tubes (0.5 ml) 1000 pcs. /pack	700.00	2,100.00
11.	1	Pack	Centrifuge tubes (10 ml)	5,000.00	5,000.00
12.	20	Pack	Blue Pipette tips (1000µL), 500/pack	300.00	6,000.00
13.	20	Pack	Yellow Pipette tips (200µL), 500/pack	300.00	6,000.00
14.	1000	Pieces	Disposable petri dishes	30.00	30,000.00
15.	12	pieces	cryoboxes, 9 x 9 rows (133 x 133 x 51 mm)	1,397.56	16,770.72
16.	2	Pieces	Gas pak (AnaaeroGen, for 3.5L jar oxoid, 10 sachets)	4,093.70	8,187.40
17.	10	pcs	Beaker Griffin Low-form Polypropylene, 100ml	132.30	1,323.00
18.	10	pcs	Beaker Griffin Low-form Polypropylene, 250ml	209.48	2,094.80
19.	10	pcs	Beaker Griffin Low-form Polypropylene, 50ml	82.69	826.90
20.	6	pcs	Beaker Griffin Low-form Polypropylene, 600ml	220.50	1,323.00
21.	4	pcs	Erlenmeyer flask, 1000ml	545.74	2,182.96
22.	10	pcs	Erlenmeyer flask, 500ml	379.26	3,792.60
23.	4	pcs	Glass Funnel	214.99	859.96
24.	6	pcs	Graduated Cylinder, 100ml	292.16	1,752.96
25.	2	pcs	Graduated Cylinder, 1000ml	1,016.51	2,033.02
26.	6	pcs	Graduated Cylinder , plastic, 10ml	152.15	912.90
27.	10	pcs	Spatula with wooden handle, stainless, 6'	132.30	1,323.00

	_		Spatula with wooden handle,		
28.	6	pcs	stainless, 9'	220.50	1,323.00
29.	2	pcs	Stainless basin, 9" diameter s/s	432.18	864.36
30.	20	pcs	Test tube brush, big	27.56	551.20
31.	20	pcs	Test tube brush, small	22.05	441.00
32.	2	pcs	Distilling flask, 125ml	608.58	1,217.16
33.	2	pcs	Distilling flask, 250ml	781.67	1,563.34
34.	2	pcs	Distilling flask, 500ml	1,170.86	2,341.72
35.	2	pcs	Volumetric flask, 100ml	1,405.69	2,811.38
36.	2	pcs	Volumetric flask, 10ml	983.43	1,966.86
37	2	pcs	Volumetric flask, 25ml	1,124.55	2,249.10
38.	2	pcs	Volumetric flask, 50ml	1,405.69	2,811.38
39.	12	Unit	Glass Extraction Timble	7,200.00	86,400.00
40.	1	pack	Quechers	10,732.16	10,732.16
41.	1	Unit	Analytical Balance Weighing Capacity - 120g Resolution - 0.1 mg Parts Counting - Yes Interface Type - RS232 Plug Type - Type B - North American 3-pin, Type C - European Plug, Type G - British 3-pin Weighpan Diameter - 80mm Net Weight - 7kg Model Number p - ABT 120- 4NM Minimum Operating Temperature +10°C Maximum Operating Temperature +30°C"	150,000.00	150,000.00
42.	1	Set	Pipettors (P2,P10,P20,P200,P1000) Variable Volume Pipette: 5-50 $\mu$ l, 50- 200 $\mu$ l, 100-1000 $\mu$ l Increments [ $\mu$ l]: 1, 5 Accuracy (±) %: 2.5 to 0.7, 0.6 to 1, 0.9 to 0.6 11 Precision (±) %: 1.5 to 0.3, 2 to 0.3, 0.3 to 0.2"	50,000.00	50,000.00
43.	2	Units	Laboratory Shaking Incubator Working room:120L Temp range: $5 \sim 50^{\circ}$ C Temp uniformity: $\leq \pm 1^{\circ}$ C Temp fluctuation: $\leq \pm 1^{\circ}$ C Shaking speed: $30300$ rpm/min Vacuum glass windows, lights Microcomputer control Digital display and high accuracy Laboratory Incubator Capacity: 80L Heating: Air jacket Temp. Range: RT +5 ~ 60 °c Temp. Fluctuation: $\leq \pm 0.2^{\circ}$ C Temp. Uniformity: $\leq \pm 0.3 ^{\circ}$ C(at $37^{\circ}$ C) Internal Size (mm): $398^{*}446^{*}498$ (air jacket) $380^{*}450^{*}590$ (water jacket) External Size(mm): $600^{*}596^{*}921$ (air jacket) $543^{*}628^{*}1033$ (water jacket)	200,000.00	400,000.00

45.1PcModel: MA-106 Meter Temperature Range: -58 to 572°F (-50 to 300°C) Temperature Resolution: 0.1° from - 20 to 200°C; or 1°C elsewhere Probe Type: Stainless-steel Probe Dimensions: 0.14"diameter, 8" length Dimensions: Length- 10-1/4 inches, width-1-3/4 inches, depth- 1/2-inch LCD Digit Size: 1/4 in4,000.004,000.0046.1UnitMicrowave Oven Supply Voltage: 230~60Hz Rated Input Power: 1400W Dimensions: 300mmx539mmx398mm3,858.753,858.75	44.	2	Pcs	<ul> <li>"Room LCD Electronic Digital Temperature Humidity Meter Thermometer Hygrometer Material: ABS</li> <li>Temperature range: Indoor:-10 ~ +50 degree (+14 ~ +122°F);Outdoor:-50 ~ +70 degree (-58 ~ +158°F) Humidity range: 20% ~ 90% RH(indoor)</li> <li>Temperature accuracy: 0.1 Celsius degree Humidity accuracy: -/+10% RH Power supply: 1.5V*1 (AAA size) Size:106x98x22mm"</li> <li>Traceable Shock/Waterproof Lollipop</li> </ul>	165.38	330.76
46.1Microwave Oven Supply Voltage: 230~60Hz Rated Input Power: 1400W3,858.753,858.75	45.	1	Pc	Meter Temperature Range: -58 to 572°F (-50 to 300°C) Temperature Resolution: 0.1° from - 20 to 200°C; or 1°C elsewhere Probe Type: Stainless-steel Probe Dimensions: 0.14"diameter, 8" length Dimensions: Length- 10-1/4 inches, width-1-3/4 inches, depth- 1/2-inch	4,000.00	4,000.00
	46.	1	Unit	Microwave Oven Supply Voltage: 230~60Hz Rated Input Power: 1400W Dimensions: 300mmx539mmx398mm		3,858.75 <b>915,080.39</b>

- 2. Delivery Period: \_\_\_\_\_ calendar days from the receipt of P.O.
- 3. Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered.
- 4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.
- 5. The quotation must be submitted to the Supply Office through mail, fax or email at the contact details listed below **on or before 5:00 PM** of **July 26, 2022.**

Address	:	Supply Office, Administration Building
		Cavite State University
		Indang, Cavite
E-mail		: supplyoffice@cvsu.edu.ph
Telefax	:	(046) 862-0852

6. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.