



Republic of the Philippines
CAVITE STATE UNIVERSITY
Don Severino de las Alas Campus
Indang, Cavite, Philippines

☎ (046) 4150-010 / 📠 (046) 4150-0013 loc 203
www.cvsu.edu.ph

INVITATION TO SUBMIT QUOTATION
Restoration of Concrete Pavement and Drainage at Yakal Road Corner PPS Road
(Straight Contract)


1. The Cavite State University (CvSU) invites interested firms/suppliers to submit quotation for the project **“Restoration of Concrete Pavement and Drainage at Yakal Road Corner PPS Road (Straight Contract)”** with an Approved Budget for the Contract (ABC) of **Four Hundred Seventy-Nine Thousand Three Hundred Seventy-Seven Pesos and 92/100 Only (PhP 479,377.92)**. Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	1	Lot	Restoration of Concrete Pavement and Drainage at Yakal Road Corner PPS Road (Straight Contract)		479,377.92
TOTAL AMOUNT					479,377.92

2. Delivery Period: ____ calendar days from the receipt of P.O.
3. Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered.
4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.
5. The quotation must be submitted to the Supply Office through mail, fax or email at the contact details listed below **on or before 5:00 PM of October 17, 2022**.

Address : Supply Office, Administration Building
Cavite State University
Indang, Cavite
E-mail : supplyoffice@cvsu.edu.ph
Telefax : (046) 862-0852

6. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.


ROSELYN M. MARANAN
BAC Secretary, Goods and Services



Republic of the Philippines
CAVITE STATE UNIVERSITY
 Don Severino delas Alas Campus
 Indang, Cavite

BILL OF QUANTITIES

NAME OF PROJECT: RESTORATION OF CONCRETE PAVEMENT AND DRAINAGE AT YAKAL ROAD CORNER PPS ROAD (BY STRAIGHT CONTRACT) ABC: ₱ 479,377.92 COLLEGE/UNIT/CAMPUS: PPS, CvSU INDANG CAMPUS					
Bill of Quantities					
Item No.	Description	Unit	Quantity	Unit Price (Pesos)	Amount (Pesos)
I	Earthworks (Pesos _____ _____ and _____ centavos)				
II	Concrete Works (Pesos _____ _____ and _____ centavos)				
III	Masonry Works (Pesos _____ _____ and _____ centavos)				
IV	Carpentry and Miscellaneous Works (Pesos _____ _____ and _____ centavos)				
GRAND TOTAL _____					
Write grand total in words _____ _____ _____					

Submitted by: _____ Date: _____

Name of Bidder/Bidder's Representative: _____

Position: _____

Construction Company/Contractor: _____

RESTORATION OF CONCRETE PAVEMENT AND DRAINAGE AT YAKAL ROAD CORNER PPS ROAD

1. The project should be finished in 45 calendar days.
2. Actual site inspection is a must.

A. TECHNICAL DESCRIPTION

I. Earthworks

1. Dismantling, Excavation and Hauling Works
 1. This work includes excavation for concrete pavement, box culvert, walk and curves & gutter.
 2. The area should be cleared/cleaned before and after the construction work.
Unusable used formworks, excessive soil fill and other unwanted debris of construction works should be disposed properly.
 3. Provide heavy equipment for dismantling, excavation and hauling.
 4. Removal of roots causing obstruction is included.

II. Concrete Works

A. Cast-in-place concrete

1. Concrete works include pavement (11.0m x 6.60m x 0.15m), box culvert, walk and curves & gutters.
2. Strength of concrete to be adopted shall be **3,500 psi**
3. Concrete works should be rough cement finished except curves & gutters.
4. Provide necessary tools and equipment needed for concrete works.

B. Steel reinforcement

1. Use 16 mm. & 12 mm. deformed bar grade 40 for box culvert.
2. Use deformed bar grade 33 for sidewalk and curves & gutter (0.40 m.x 0.40 m. both ways)
3. See plan for details and extent of work.

III. Masonry Works

1. Repair of concrete gutter is included.
2. Masonry works should be plastered plain cement.

IV. Carpentry & Miscellaneous Works

1. Provide necessary form lumber for the completion of the project.
2. Provide two units area drain with steel grating.