

Republic of the Philippines **CAVITE STATE UNIVERSITY Don Severino de las Alas Campus** Indang, Cavite, Philippines (046) 4150-010 / = (046) 4150-0013 loc 203 www.cvsu.edu.ph

INVITATION TO SUBMIT QUOTATION Supply and Delivery Laboratory Supplies and Equipment for NCRDEC

 The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project "Supply and Delivery Laboratory Supplies and Equipment for NCRDEC" with an Approved Budget for the Contract (ABC) of One Hundred Sixty-Seven Thousand Six Hundred Pesos Only (PhP 167,600.00). Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	750	Pcs	Square PET bottles with black cap, 250ml	20.00	15,000.00
2.	2	Units	 Handheld Bottle Capping Machine Power Source: Corded Electric Operation Mode: Automatic Wattage: 80 Watts Adjustable Speed 6 Specifications of capping head can be replaced Automatic Function Equipped with a puller 	20,000.00	40,000000
3.	1	Unit	 Bench with Shoe Storage Size: 60 x 51cm Can hold up to 9-11 pairs of shoes Thickened leather cushion Main Material: Wood Based Panel 	5,500.00	5,500.00
4.	2	Pcs	Office Chairs Low back chair with armrest Mesh backrest Fabric mesh covered seat Tilt Mechanism Adjustable gas lift Chrome base with caster wheels 	7,000.00	14,000.00
5.	4	Pcs	Round Laboratory stools with fabric leatherette • Height Compatibility: Standard Bench (M) • Seat Size: Medium • Base: Foot-activated stool base • Finish Color: Chrome Seat-Height Adjustable Range (in.): 22-29 • Seat Description: Upholstered seat with high-resilience foam cushioning and internal seat board bumper guard; 16" diameter, 3.5" thick • Control Description: Ring shaped foot-activated control enables hands- free pneumatic seat height adjustment	5,500.00	22,000.00

6.	1	Unit	Autoclave pressure cooker, 40L Mirror Finish, Electric, 220V, 50Hz. Single Phase Approx. Size (Dia X H): 350mm x 330mm + 90mm Lid. KW Load Approx Capacity (Itrs): 40Liters with Lid All autoclaves are constructed from heavy gauge aluminum. It's generates steam under pressure and temperature between 120° C to 125° C Made from seamless Aluminum, top loading autoclaves. Seamless construction ensures bacteria free environment 25-30 minutes sterilizing cycle at 121°C With two stages over pressure protection system incorporating a calibrated continuous bleeding pressure stopcock and pressure release weight valve With heat resistant handles and steam release / control valve Pressure gauge: Colour coded pressure gauge showing internal chamber conditions during the cycle Sterilization zone in green colour is shown from 15 psi to 20 psi (OR 1.034 bar to 1.378 bar) which is equivalent to temperature of 1210 c to 127t Dial Size: 2.5". Dial show measurement in 2 units (i) kg/cm ² . (ii) lb/inch2. Full scale dial or pressure gauge is 0-30 lb/inch ² or 0- 2kg/cm2. Caution zone in red colour Supplied by inner and outer stand Suitable for 11" x 9" & 11" x 4.5" Dressing/ Sterilizing Drum	40,000.00	40,000.00
7.	1	Unit	 Fiberglass composite LPG, 11kgs EC Gas Composite Cylinder with 11kg LPG With Low pressure Regulator with Auto shut, with 2 clamps and Hose 	6,500.00	6,500.00
8.	1	Unit	Coffee Percolator • 15 Liter Capacity • Double wall stainless steel insulation • Anti-drip dispenser • Coffee strainer • Warm and boil indicator with thermostat • Tempered glass water gauge • Heat resistant handles	6,000.00	6,000.00

TOTAL AMOUNT					167,600.00
10.	1	Unit	Chest Freezer, 6cu.ft • 6.0 cuft Inverter Chest Freezer • Inverter Compressor • 3 in 1 function: Chilling, Freezing, Fast Freezing • Manual Defrost, R600a Refrigerant • Sliding Glass, Removable Basket and Gasket • LED Light, 4x Roller Wheel, Lock and Key • Embossed Door and Cabinet	15,000.00	15,000.00
9.	9	Pairs	 Rustproof cylinder White Laboratory Shoes Color: White Material: Leather Sizes: 7", 8" ,9" 	400.00	3,600.00
			 Thermally protected With water level indicator With reset button function 		

- 2. Delivery Period: _____ calendar days from the receipt of P.O.
- 3. Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered.
- 4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.
- 5. The quotation must be submitted to the Procurement Office through mail, fax or email at the contact details listed below **on or before 5:00 PM** of **March 15, 2023.**

Address	:	Procurement Office, Administration Building Cavite State University
– "		Indang, Cavite
E-mail: Telefax	:	<u>supplyoffice@cvsu.edu.ph / rfqmain@cvsu.edu.ph</u> (046) 862-0852

6. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

ROSELYN M. MARANAN BAC Secretary, Goods and Consulting Services