

### Republic of the Philippines

## CAVITE STATE UNIVERSITY

Don Severino de las Alas Campus

Indang, Cavite www.cvsu.edu.ph

## Supply, Delivery, Configuration and Installation of ID Printer for University Registrar

Item	Qty./	<u>Item</u>	Specification	Total Price
No.	Unit	Description		
1	2 sets	ID Printer	<ul> <li>Printing Capability Requirements</li> <li>The printer will utilize the dyesublimation/resin thermal transfer print method.</li> <li>The printer should be capable of at least 600 dpi (23.6 dots/mm) print resolution and capable of printing well-defined small, complex character.</li> <li>The printer should be capable of full-color and black resin printing: Up to 16.7 million colors and 256 shades per pixel.</li> <li>The printer system should be capable of printing with a throughput rate that meets 100-150 cards per hour, when printing full panel YMCK with transfer in at least one of the print mode options. This relates to an elapsed speed – measured from the time the printer receives the print signal to the time the print is completed – not exceeding 16 seconds per card in batch mode when printing YMCK with transfer in at least one of the print mode options.</li> <li>The printer will be capable of single-sided, over-the-edge printing and dual-sided, over-the-edge printing. The printer should have multiple print/transfer mode selections to allow for the best card output based on specific organization needs.</li> </ul>	₱1,500,000.00
			Ribbon and Film Technology Requirements	

 Printer ribbons and film must be drawer-loaded and printer ribbons must provide a disposable card cleaning roller. Print ribbons and film must utilize RFID technology (or similar) that communicates the following information to the printer operator: 1) Confirmation of the correct type of ribbon and/or film installed and 2) Material status – warning of the ribbon or film running low. Printer driver must be able to auto-configure print settings based on materials loaded into the printer.

#### **Printer System Requirements**

 Printer memory must be at least 1GB RAM. The printer will have an internal print server when Ethernet is being used

#### **Printer Warranty Requirements**

- The printer must have a minimum three-year standard manufacturer's warranty. The printhead must have a lifetime warranty; unlimited pass.
- · With training and installation

# Consumables good for at least 20,000 cards

- Colored Ribbon yields of 750prints per roll
- Retransfer Film yields of 750prints per roll
- PVC cards, 500pcs per box

#### **Database Management Software**

- Licensed Software with Hardware Key and Password Protection
- Operating System Capability Windows 7, 8, 9 and 10
- Allows to Design ID cards
- Allows Photo and Signature capture
- Can Manage and Store Cardholders Records
- Allows to import and export text

Can generate Reports	
Webcam with Tripod  Resolution: High Resolution for Photocapture - 1080 HD Full Resolution  USB - 2.0 ready	
Signature Pentablet  Pen Type  Dimensions: 6.0" x 3.8" x 0.7" (152mm x 95mm x 18mm)  Signing Area: 4.3" x 1.4" (110mm x 35mm)  With Authentication capability	
Other Requirements:  • Letter from the Manufacturer as Authorized Distributor  • Printer must have an authorized service center  • Printer must have a third-party certification such as certified energy savings	
	₱1,500,000.00

With on-site presentation/demo before acceptance, and user's training prior to final acceptance of the product.

**Certified Correct:** 

TWG Member, Computer & Office Equipment

TWG Chair, Computer & Office Equipment