



Republic of the Philippines
CAVITE STATE UNIVERSITY
Don Severino de las Alas Campus
Indang, Cavite, Philippines
☎ (046) 889-6373
www.cvsu.edu.ph

INVITATION TO SUBMIT QUOTATION

Repair and Improvement of Storage Area at International House II (Straight Contract)

1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project **"Repair and Improvement of Storage Area at International House II (Straight Contract)"** with an Approved Budget for the Contract (ABC) of **Two Hundred Fifty-Seven Thousand Seven Hundred Fifty-Eight Pesos and 92/100 Only (PhP 257,758.92)**. Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	1	lot	Repair and Improvement of Storage Area at International House II (Straight Contract)	257,758.92	257,758.92
TOTAL AMOUNT				257,758.92	

2. Delivery Period: ____ calendar days from the receipt of P.O.
3. Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered.
4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.
5. The quotation must be submitted to the Procurement Office through mail, fax or email at the contact details listed below **on or before 5:00 PM of October 3, 2023**.

Address : Procurement Office, Administration Building
Cavite State University
Indang, Cavite
E-mail : procurementoffice@cvsu.edu.ph / rfqmain@cvsu.edu.ph
Telefax : (046) 889-6373

6. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.


ROSELYN M. MARANAN
BAC Secretary, Goods and Consulting Services



Republic of the Philippines
CAVITE STATE UNIVERSITY
 Don Severino Delas Alas Campus
 Indang, Cavite

BILL OF QUANTITIES

NAME OF PROJECT: REPAIR AND IMPROVEMENT OF STORAGE AREA AT INTERNATIONAL HOUSE II (BY STRAIGHT CONTRACT) ABC: ₱ 257,758.92 COLLEGE/UNIT/CAMPUS: CvSU INDANG CAMPUS					
Bill of Quantities					
Item No.	Description	Unit	Quantity	Unit Price (Pesos)	Amount (Pesos)
I	Mobilization/Demobilization, Dismantling, Clearing and Cleaning Works (Pesos _____ and _____ centavos)				
II	Carpentry Works (Pesos _____ and _____ centavos)				
III	Painting Works (Pesos _____ and _____ centavos)				
IV	Roofing Works (Pesos _____ and _____ centavos)				
V	Electrical Works (Pesos _____ and _____ centavos)				
GRAND TOTAL _____					
Write grand total in words _____					

Submitted by: _____ Date: _____
 Name of Bidder/Bidder's Representative: _____
 Position: _____
 Construction Company/Contractor: _____

SCOPE OF WORKS:

REPAIR AND IMPROVEMENT OF STORAGE AREA AT INTERNATIONAL HOUSE II

A. GENERAL DESCRIPTION

1. The project should be finished for 45 calendar days.
2. Actual site inspection is a must.

B. TECHNICAL DESCRIPTION

I. Mobilization/ Demobilization, Dismantling, Clearing and Cleaning Works

A. Mobilization/ Demobilization

1. This scope includes mobilization and demobilization. Provide the following:
 - Billboard
 - Bankhouse with office
 - Temporary comfort rooms
 - Site temporary enclosure may be blue sack or any suitable materials that may enclose the workplace.

B. Dismantling, Clearing and Cleaning Works

1. This also includes dismantling of roofing sheets, gutter and downspout and all roofing materials except the rafters and trusses.
2. It also includes dismantling of existing ceiling boards and lighting fixtures.
3. All such unsuitable materials shall be removed from the building site and spread uniformly over the areas adjacent to the proposed building, or otherwise disposed of as may be directed by the project inspector in charge of the construction.

II. Carpentry Works

A. Ceiling Works

1. Provide ceiling work.
2. Use 3/16" thick fiber cement board for upper ground ceiling.
3. Use metal furring as ceiling runner and ceiling joist @ 0.40 m. on center both ways.
4. Use wall angle on the perimeter walls.
5. Use rivet or black screw for connections.
6. Provide 3" decorative ceiling cornice/wooden molding to all ceiling perimeter and corners.

III. Painting Works

1. This work includes the painting of newly installed ceiling components and interior walls.
2. Remove all chalky surface, loose paint, dirt and other contaminants by wire brushing or by using paint remover.
3. The area should be cleared and cleaned before applying the paint.
4. Apply one coat of flat wall enamel white. Allow to dry overnight.
5. Apply skim coat to all concrete surface and repair minor surface imperfection with glazing putty. Let dry then sand.
6. Apply at least two coats of Flat latex paint in the desired color. Allow an overnight inter coating interval.

Note: Color of paint will depend upon the preference of the END-USER.

Paints and its accessories should be BOYSEN or approved equal.

IV. Roofing Works

1. This work includes removal and replacement of existing roofing sheets.
2. Adopt gauge 26 (0.5mm) rib type pre-painted roofing sheet. Adopt long span colored roofing sheet.
3. Adopt gauge 26 x 18 (0.5mm) prefabricated and pre-painted ridge roll.
4. Adopt C purlins 2"x 2" and 2"x 6" for fascia board.
5. All attachments for roofing sheet shall be 4" tek screw for metal connection.
6. Provide water sealant for all attachments and connections (water sealant should be provided inside and outside).
7. Use stainless flashing along Grid 4/ P to R.
8. Extend the roofing by 0.6m from the building line.
9. Use pre-painted spandrel 4" for the whole area of eaves
10. Provide pre-painted spandrel with hole as ceiling ventilation for every 1 meter and all corners of the eaves.
11. Removal and replacement of existing downspout. Use G.I. strap to attach downspout to the wall.

V. Electrical Works

1. Dismantling works for electrical devices need to be replaced.
2. Supply and installation of THHN copper conductor wires, PVC conduit orange pipe, junction, utility box and moldings for the rewiring of lighting and convenience outlets.
3. Supply and installation of electrical fixtures/switches/outlets and other electrical devices
 - a. 2-18W T8 (4 ft.) LED fluorescent lamp w/ diffuser (2 sets).
 - b. Emergency light twin head and outlet.
 - c. Switch (Bticino, National or its equivalent).
 - d. Convenience outlets (Bticino, National or its equivalent).
4. Include tapping to the source, electrical testing and commissioning.