



Republic of the Philippines  
**CAVITE STATE UNIVERSITY**  
**Don Severino de las Alas Campus**  
 Indang, Cavite, Philippines  
 ☎ (046) 889-6373  
[www.cvsu.edu.ph](http://www.cvsu.edu.ph)

**INVITATION TO SUBMIT QUOTATION**  
**Supply and Delivery of Various Equipment and Accessories for Audio Visual Room of**  
**CvSU Cavite City Campus**

1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project **“Supply and Delivery of ICT Equipment for Audio Visual Room of CvSU Cavite City Campus”** with an Approved Budget for the Contract (ABC) **Nine Hundred Sixty-One Thousand Three Hundred Fifty Pesos Only (PhP 961,350.00)**. Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	1	Unit	85" Crystal UHD 4K Smart TV Picture Engine Crystal Processor 4K, One Billion Color, PQI (Picture Quality Index) 2200, HDR (High Dynamic Range) 10 + Support, HLG (Hybrid Log Gamma), Contrast Mega Contrast and Color, Dynamic Crystal Color	200,000.00	200,000.00
2.	1	Unit	Office Conference, Table U Shape 4.0 x 2.0 M	40,000.00	40,000.00
3.	11	Units	Mesh arch chair, Chair type: Executive Chair, Wheeled: Yes, Height Adjustable: Yes, Seat Height: 45-55 cm, Back Adjustable: Yes, Arms Adjustable: Yes, Color: Black, Weight Capacity: 100 kg, Maximum Seat Height: 55cm and Minimum Seat Height 45 cm	12,000.00	132,000.00
4.	1	Unit	Digital UHF 8-in-1 Conference System • RECEIVER FUNCTION: 8 Channels. Adjustable frequency. Digital line system. IR automatic. Totally 400 (50*8) frequencies. 3 controllers can be used in every channel. LCD screens show working status on the receiver and emitter. There are 8 balanced output, XLR mixed output, 1 mixed unbalanced output. 4 rubber antennas. Consumption is 80mA. With 1.5V*3 battery power supply, it can work constantly for 8 hours. Light ring on the microphone head will display working status. Working distance: 50-80 meters. It's suitable for various kinds of conferences and performances. • RECEIVER PARAMETER: Oscillation Mode: PPL Synthesized. Modulation Mode: FM, Frequency Range: UHF 600-699/75MHz, Frequency Stability: +0.001%, S/N Ratio: 90dB, THD <0.5% @ 1KHz, Sensitive: 1.2/UV @ S/N=12dB, Power Supply: DC 12~17V, Audio Output, Independent: 0-400mV and Mixed: 0-300mV. • EMMITER PARAMETER: Power Supply: DC 4.5V (1.5V AAx3), Power Consumption: 100mA, Frequency Range: UHF 600~699/75 MHz,	40,350.00	40,350.00

			Frequency Stability: +0.001%, Max Deviation Ranger +30KHz, S/N Ratio >90dB, F/N Ratio >80dB, Dynamic Range >100dB and Type: Condenser		
5.	1	Unit	Sound System Professional two-channel stereo power amplifier and 8" Two-way Full range SpeakerD6563 Phased-inverted low frequency radiated two-way loudspeaker system. Wooden case processing by water-based paint spraying with black spot on the surface perforated metal mesh acoustic penetration cotton: Built-in highly efficient and high-quality unit: Suitable for suspension installment. Specification: Model D6563 Unit 8" Bassx1,1"Treblex1 Frequency Range (+3dB) 65 Hz -22,000Hz Sensitivity (1m,1W)94dB Max SPL 115dB input Impedance 8Ω Rated Power:150W Directly (H*V) 90° x60° Dimension 430x240x245mm Weight 11kg New design, standard chassis, suitable for standard cabinet installation A series of high-power amplifier arbitrary choice to meet the different needs Dual channel, mono and BTL bridge three output options for the choice of output mode switch selection Individual volume control for each channel 4Ω minimum load impedance of stereo working, 8Ωload impedance the minimum of BTL working With XLR and 6.35mm two kinds of signal input interface, flexible and convenient to use With short circuit protection, DC protection, power off and a variety of protection and alarm functions. Each channel is equipped with LED working status indication. low noise design	500,000.00	500,000.00
6.	1	Unit	Router plus switch Lighting - Fast AX600 WIFI 2.5 Multi-Gigabit Port, Maximized Coverage, More Devices with Less Lag, Powerful CPU and VPN Client Supported.	8,000.00	8,000.00
7.	2	Bxs	CAT 6E Lan Cable Grey, UTP, 4 Pair Unshielded Data Twist. 305 Meters PVC Jacket, Indoor	6,000.00	12,000.00
8.	10	Units	HDMI 10 4k Cable	1,000.00	10,000.00
9.	1	Unit	HDMI 2.0 Splitter 1x16	19,000.00	19,000.00
<b>TOTAL AMOUNT</b>					<b>961,350.00</b>

2. Delivery Period: \_\_\_\_ calendar days from the receipt of P.O.
3. Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered.
4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.
5. The quotation must be submitted to the Procurement Office through mail, fax or email at the contact details listed below **on or before 5:00 PM of February 12, 2024.**

Address : Procurement Office, Administration Building  
Cavite State University

Indang, Cavite  
E-mail : [procurementoffice@cvsu.edu.ph](mailto:procurementoffice@cvsu.edu.ph) / [rfqmain@cvsu.edu.ph](mailto:rfqmain@cvsu.edu.ph)  
Telefax : (046) 889-6373

6. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

  
**ROSELYN M. MARANAN**  
BAC Secretary, Goods and Consulting Services