

Republic of the Philippines **CAVITE STATE UNIVERSITY Don Severino de las Alas Campus** Indang, Cavite, Philippines (046) 889-6373 www.cvsu.edu.ph

INVITATION TO SUBMIT QUOTATION Supply and Delivery of DSLR Camera with Accessories for Likas Project

 The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project "Supply and Delivery of DSLR Camera with Accessories for Likas Project" with an Approved Budget for the Contract (ABC) of One Hundred Fifty Thousand Pesos Only (PhP 150,000.00). Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Quantity	Unit	Description	Unit Cost	Total Cost
1.	1	Unit	Camera DSLR Specifications (Body with Lens set) • Body: - Type: Single-lens reflex digital camera - Lens mount: F mount (with AF coupling and AF contacts) - Effective Pixels: 20.9 million megapixels - Sensor size: 23.5 mm x 15.6 mm - Dust-Reduction System: Image sensor cleaning; Image Dust off reference data - Card Slot: 1 Secure Digital (SD) - Viewfinder: Eye-level pentaprism single lens reflex - Viewfinder eyepoint: 18.5mm - Flash Speed: up to 1/250 sec - Playback function: Auto image rotation - Bluetooth: Yes - GPS: Yes - Battery: Rechargeable Li-ion battery - Charger: With Charger • Lens: - Mount type: F-Bayonet - Focal length: 70-200mm - Focal Length Range: 18-140mm - Zoom ratio: 7.8x - Max. aperture: f/ 3.5-5.6 - Min. aperture: f/ 22-38 - VR Image Stabilization: Yes - Autofocus: Yes - Focus mode: Auto / Manual - Filter size: 67mm	150,000.00	150,000.00

 Focal length: 70-200mm Focal Length Range: F/2.8 Min. object distance: 0.95m (37.4 in) Max. Magnification ratio: 1:6:1 Filter size: ø77mm Max diameter: ø88mm Length: 191.3mm (7.5 in) Aperture blades: 9 Filter size: 67mm Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: SD Card: 32gb Neck Strap Warranty: 1 year 		
 Focal Length Range: F/2.8 Min. object distance: 0.95m (37.4 in) Max. Magnification ratio: 116:1 Filter size: ø77mm Macro adapter Specifications: Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 - 10x15 Distance from lens front to subject (cm): approx. ab.42 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: Lyan 	Additional camera lens:	
 Min. object distance: 0.95m (37.4 in) Max. Magnification ratio: 1:6:1 Filter size: ø77mm Max diameter: ø88mm Length: 191.3mm (7.5 in) Aperture blades: 9 Filter size: 67mm Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: SD Card: 32gb Neck Strap Warranty: 1 year 		
 Max. Magnification ratio: 1:6:1 Filter size: ø77mm Max diameter: ø88mm Length: 191.3mm (7.5 in) Aperture blades: 9 Filter size: 67mm Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: Year 		
 Filter size: ø77mm Max diameter: ø88mm Length: 191.3mm (7.5 in) Aperture blades: 9 Filter size: 67mm Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 		
 Max diameter: ø88mm Length: 191.3mm (7.5 in) Aperture blades: 9 Filter size: 67mm Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 		
 Length: 191.3mm (7.5 in) Aperture blades: 9 Filter size: 67mm Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 		
 Aperture blades: 9 Filter size: 67mm Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 		
Filter size: 67mm - Minimum Aperture: F/22 • Additional accessories: - Macro adapter Specifications: • 3 tubes Adapter: • Lens adapter Size: at least 12mm • Distance reading of master lens: Min 0.5m • Image mag. ratio: approx. 0.24 - 1.47 • Field coverage (cm): approx. 1.6x2.4 - 10x15 • Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 • Exposure factor: 1.5 - 6.1 • Inclusions: - Camera bag - SD Card: 32gb - Neck Strap • Warranty: 1 year		
 Minimum Aperture: F/22 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 		
 Additional accessories: Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 – ab.21 Exposure factor: 1.5 – 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 		
 Macro adapter Specifications: 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 - 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 	- Minimum Aperture: F/22	
Specifications: • 3 tubes Adapter: • Lens adapter Size: at least 12mm • Distance reading of master lens: Min 0.5m • Image mag. ratio: approx. 0.24 - 1.47 • Field coverage (cm): approx. 1.6x2.4 - 10x15 • Distance from lens front to subject (cm): approx. ab.4.2 – ab.21 • Exposure factor: 1.5 – 6.1 • Inclusions: - Camera bag - SD Card: 32gb - Neck Strap • Warranty: 1 year	Additional accessories:	
 3 tubes Adapter: Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 	- Macro adapter	
 Lens adapter Size: at least 12mm Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 - 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: - Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 	Specifications:	
 Distance reading of master lens: Min 0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 - 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 	• 3 tubes Adapter:	
0.5m Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 - 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: - Camera bag - SD Card: 32gb - Neck Strap Warranty: 1 year	 Lens adapter Size: at least 12mm 	
 Image mag. ratio: approx. 0.24 - 1.47 Field coverage (cm): approx. 1.6x2.4 - 10x15 Distance from lens front to subject (cm): approx. ab.4.2 - ab.21 Exposure factor: 1.5 - 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 		
 1.47 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 – ab.21 Exposure factor: 1.5 – 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 		
 Field coverage (cm): approx. 1.6x2.4 10x15 Distance from lens front to subject (cm): approx. ab.4.2 – ab.21 Exposure factor: 1.5 – 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 		
 - 10x15 Distance from lens front to subject (cm): approx. ab.4.2 – ab.21 Exposure factor: 1.5 – 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 		
 Distance from lens front to subject (cm): approx. ab.4.2 – ab.21 Exposure factor: 1.5 – 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 		
(cm): approx. ab.4.2 – ab.21 •Exposure factor: 1.5 – 6.1 • Inclusions: - Camera bag - SD Card: 32gb - Neck Strap • Warranty: 1 year		
 Exposure factor: 1.5 – 6.1 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: year 		
 Inclusions: Camera bag SD Card: 32gb Neck Strap Warranty: 1 year 		
- Camera bag - SD Card: 32gb - Neck Strap • Warranty: 1 year	•Exposure factor: 1.5 – 6.1	
- SD Card: 32gb - Neck Strap • Warranty: 1 year	Inclusions:	
- Neck Strap • Warranty: 1 year	- Camera bag	
Warranty: 1 year	- SD Card: 32gb	
1 year	- Neck Strap	
1 year	Warranty:	
TOTAL AMOUNT 150,000.00		

- 2. Delivery Period: _____ calendar days from the receipt of P.O.
- 3. Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered.
- 4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.
- 5. The quotation must be submitted to the Procurement Office through mail, fax or email at the contact details listed below **on or before 5:00 PM** of **May 15, 2024.**

Address	:	Procurement Office, Administration Building
		Cavite State University
		Indang, Cavite
E-mail	:	procurementoffice@cvsu.edu.ph / rfqmain@cvsu.edu.ph
Telefax	:	(046) 889-6373

6. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.

Grannon

ROSELYN M. MARANAN BAC Secretary, Goods and Consulting Services