



Republic of the Philippines
CAVITE STATE UNIVERSITY
Don Severino de las Alas Campus
Indang, Cavite, Philippines
(046) 889-6373
www.cvsu.edu.ph

INVITATION TO SUBMIT QUOTATION
Supply and Delivery of Sound System Equipment and Accessories for CvSU Bacoor City Campus


1. The Cavite State University (CvSU) invites interested firms/supplier to submit quotation for the project **"Supply and Delivery of Sound System Equipment and Accessories for CvSU Bacoor City Campus"** with an Approved Budget for the Contract (ABC) of **Nine Hundred Seven Thousand One Hundred Pesos Only (PhP 907,100.00)**. Quotation received in excess of the ABC shall be automatically rejected at the opening.

Item No.	Unit	Description	Quantity	Unit Cost	Total Cost
1.	unit	15" TWO-WAY ACTIVE POWERED SPEAKER SYSTEM	4	94,000.00	376,000.00
2.	unit	1400-WATT DIGITAL AMPLIFIER 18" WOOFER	2	126,000.00	252,000.00
3.	unit	12" 2WAY ACTIVE POWERED SPEAKER SYSTEM	2	66,000.00	132,000.00
4.	unit	22-CHANNEL MIXER WITH BUILT-IN FX	1	66,800.00	66,800.00
5.	set	DUAL HANDHELD WIRELESS MICROPHONE	1	38,000.00	38,000.00
6.	set	3-in-1 WIRED MICROPHONE	1	5,400.00	5,400.00
7.	pcs	All-Steel Adjustable Speaker Stand	2	2,200.00	4,400.00
8.	pcs	Adjustable Subwoofer Attachment Shaft	2	900.00	1,800.00
9.	rolls	3 Conductor Shielded 100 meters Heavy Duty Microphone Cable	2	6,500.00	13,000.00
10.	pcs	Heavy Duty 3 pin XLR Connector Male	20	250.00	5,000.00
11.	pcs	Heavy Duty 3 pin XLR Connector Female	20	260.00	5,200.00
12.	pcs	Euro style Boom Microphone Stand	6	1,500.00	7,500.00
		(See attached photo and specification for reference)			
TOTAL AMOUNT					907,100.00

2. Delivery Period: ____ calendar days from the receipt of P.O.
3. Price quotations must be valid for a period of sixty (60) calendar days from date of submission and shall include all taxes, duties and/or levies payable. Bidders shall also indicate the brand and model of the items being offered.
4. Warranty shall be for a period of six (6) months for supplies and materials. Warranty for equipment must not be less than one (1) year from the date of acceptance and shall be accompanied with Warranty Certificate.
5. The quotation must be submitted to the Procurement Office through mail, fax or email at the contact details listed below **on or before 5:00 PM of February 26, 2025**.

Address : Procurement Office, Administration Building
Cavite State University
Indang, Cavite
E-mail : procurementoffice@cvsu.edu.ph / rfqmain@cvsu.edu.ph
Telefax : (046) 889-6373

6. The CvSU reserves the right to reject any or all quotations and/or proposals and waive any formalities/informalities therein and to accept such bids it may consider as most advantageous to the agency and to the government. CvSU neither assumes any obligation for whatsoever losses that may be incurred in the preparation of bids, nor does it guarantee that an award will be made.







ROSELYN M. MARANAN

BAC Secretary, Goods and Consulting Services

DETAILED SPECIFICATIONS

Project : **Supply and Delivery of Sound System Equipment and Accessories**
 Location : Cavite State University - Bacoor City Campus, Bacoor, Cavite

Item No.	Quantity	Unit	Item Description	Pictures	Unit Cost	Total Cost
1	4	unit	<p>15" TWO-WAY ACTIVE POWERED SPEAKER SYSTEM</p> <p>Specifications:</p> <ul style="list-style-type: none"> - 132 dB Max SPL - 1400 Watt 2-way peak power - 90° x 60°, Wide dispersion constant directivity horn - Innovative DSP Processing - 4" Compression Neodymium Driver with Titanium diaphragm - 15" Neodymium Woofer - FiRPHASE Technology - XBOOST Low Frequencies Enhancer - Hardware: 2 x M10 - Handles: 1 on top, 1 each side - Pole mount/Cap: Yes - Color: Black - 1 Year Warranty 		94,000.00	376,000.00
2	2	unit	<p>1400-WATT DIGITAL AMPLIFIER 18" WOOFER</p> <p>Specifications:</p> <ul style="list-style-type: none"> - 1400 Watt Digital Amplifier - 18" Woofer, bass reflex housing - Stereo crossover - Switchable crossover frequencies - Phase-reverse switch - Electronic equalization, soft limiter and protection - Stereo XLR input, Stereo XLR signal output - Handles: 2 side - Pole mount/Cap: Yes - Color: Black - 1 Year Warranty 		126,000.00	252,000.00
3	2	unit	<p>12" 2WAY ACTIVE POWERED SPEAKER SYSTEM</p> <p>Specifications:</p> <ul style="list-style-type: none"> - 129 dB Max SPL - 1400 Watt 2-way peak power - Innovative DSP Processing - 1" Compression Driver, 1.75" v.c. - 12" Woofer - 90°x60°, wide dispersion constant directivity horn 		66,000.00	132,000.00

			<ul style="list-style-type: none"> - Handles: 1 on top, 2 side - Pole mount/Cap: Yes - Color: Black - 1 Year Warranty 			
4	1	unit	<p>22-CHANNEL MIXER WITH BUILT-IN FX</p> <p>Specifications:</p> <ul style="list-style-type: none"> - 17 Mic Inputs & 14 Mono Mic/Line Inputs - Inserts on Channels 1-14, Comp on 1-12 - 2-In / 4-Out USB (24-Bit, 192 kHz) - GigFX Effects Engine (24 FX Presets) - Main, Control Room, Subgroup Outputs - 17 Onyx Mic Preamps with 48V Phantom - 3-Band EQ, Aux Send, FX Send, Pan, Mute - Level, FX, Sub 1-2, Sub 3-4, Main Faders - Includes IEC Cable - 1 Year Warranty <p>Professional Sound Quality</p> <ul style="list-style-type: none"> - Equipped with 17 Onyx Mic Pres offering up to 60 dB of gain and ultralow noise performance - GigFX Effects Engine with 24 different FX options, from reverbs to delays and more <p>Essential Mixing Tools</p> <ul style="list-style-type: none"> - 3-band EQ on all channels - Channels 15–20 feature mic inputs and stereo 1/4" line inputs for maximum versatility - Hi-Z switches allow you to connect guitars, basses, and other instruments - 100 Hz low-cut filter and 48V phantom power on all mic channels - Stereo 3.5mm input on channel 21/22 - Aux/Monitor outputs with dedicated per-channel send controls - Stereo Subgroup output busses with per-channel assignments - Headphone output with separate level and blend control - Insert jack on channels 1–14 - Pre-fader solo on all channels - Footswitch input for FX Mute - Single-knob compression helps keep your input levels in check 		66,800.00	66,800.00

24-Bit / 192 kHz 2x4 USB Recording Interface

- 2x4 USB I/O allows you to create two custom mixes on your computer to send back in to the mixer
- Perfect for live performance recording, music playback, live streaming, and more

Latency-Free Monitoring

- Easily blend between monitoring your computer's output and a direct feed from the mixer

Professional Production Content

- Pro Tools | First and Waveform OEM professional software and plugin packages included
- The Musician Collection for ProTools | First includes 23 plugins including 304E EQ, 304C Compressor, BBD Delay, Black Op Distortion, Black Shiny Wah, Black Spring Reverb, C1 Chorus, DC Distortion, Eleven Lite, Flanger, Graphic EQ, Gray Compressor, Green JRC Overdrive, In-Tune, Orange Phaser, Roto Speaker, Sci-Fi, Studio Reverb, Tape Echo, Tri Knob Fuzz, Vari-Fi, Vibe, Phaser, and White Boost
- The DAW Essentials Bundle for Waveform OEM includes 16 powerful plugins like Equalizer, Compressor, Reverber8, and Limiter

DUAL HANDHELD WIRELESS MICROPHONE

Specifications:

- Channel: Dual
- Chassis: EIA standard half-rack (9.5") metal chassis
- Frequency Range: UHF 480 ~ 934 MHz (country dependent)
- Bandwidth: 24MHz
- Receiving Mode: Diversity receiving
- Sensitivity: 10 dB μ V @ S/N > 80 dB
- Frequency Response: 50 Hz – 18 kHz
- Dynamic Range: > 106 dBA
- Audio Output: Balanced: +16dB / 0dB/ -6dB, Unbalanced: +10dB / 0dB/ -6dB
- Antenna: Detachable. 50 Ω TNC female connector
- Power Supply: DC 12 – 15 V. External AC 100 – 240 V



5


1

set

38,000.00

38,000.00

			switching power supply - 1 Year Warranty			
6	1	set	3-in-1 WIRED MICROPHONE Specifications: - Pattern: Supercardioid - Principle: Dynamic moving coil motor - Frequency Response: 80hz – 18kHz - Sensitivity: -53 dBV (2.3mV) @ 1Pa - Impedance: 500 ohms - Max SPL: >148dB - 1 Year Warranty		5,400.00	5,400.00
7	2	pc	All-Steel Adjustable Speaker Stand		2,200.00	4,400.00
8	2	pc	Adjustable Subwoofer Attachment Shaft		900.00	1,800.00
9	2	roll	3 Conductor Shielded 100 meters Heavy Duty Microphone Cable		6,500.00	13,000.00
10	20	pc	NC3MXX Heavy Duty 3 pin XLR Connector Male		250.00	5,000.00
11	20	pc	NC3FXX Heavy Duty 3 pin XLR Connector Female		260.00	5,200.00

12	5	pc	Euro style Boom Microphone Stand		1,500.00	7,500.00
					Total	907,100.00