










	PREPARED BY: R. J. PASCUAL PDU	END USER: J. B. ESPINELI ADMIN IMUS CAMPUS	REVIEWED BY: E. N. RODEROS JR. ARCHITECT	ENDORSED BY: S. E. BAYOT JR. HEAD PDU	O. B. DELOS REYES DIRECTOR PLANNING AND DEVT. OFFICE	REC. APPROVAL: M. J. D. TEJORA VPPD	J. X. B. NEPOMUCENO VPASS	APPROVED BY: I. D. ROBLES PRES	PROJECT TITLE/ LOCATION: REPAIR AND IMPROVEMENT IMUS GUARD HOUSE CAVITE STATE UNIVERSITY	IMUS CAMPUS	IMPLEMENTING AGENCY: CAVITE STATE UNIVERSITY	SHT NO: A - 1
--	--------------------------------------	--	--	---	---	---	------------------------------	--------------------------------------	--	-------------	---	------------------



1
A/2 LEFT SIDE ELEVATION
SCALE 1:100 MTS.




1
A/2 RIGHT SIDE ELEVATION
SCALE 1:100 MTS.




1
A/2 LEFT SIDE ELEVATION
SCALE 1:100 MTS.


	PREPARED BY: J. J. PASCUAL PDU	END USER: J. B. ESPINELI ADMIN IMUS CAMPUS	REVIEWED BY: E. N. RODEROS JR. ARCHITECT	ENDORSED BY: S. B. BAYOT JR. HEAD PDU	REC. APPROVAL: O. B. DELOS REYES DIRECTOR PLANNING AND DEVT. OFFICE	APPROVED BY: M. J. D. TEPORA VPPD CVSU	APPROVED BY: J. X. B. NEPOMUCENO VPASS CVSU	APPROVED BY: H. D. ROBLES PRES CVSU	PROJECT TITLE/ LOCATION: REPAIR AND IMPROVEMENT IMUS GUARD HOUSE IMUS CAMPUS	IMUS CAMPUS	CAVITE STATE UNIVERSITY	SHT NO: A - 2
--	--------------------------------------	--	--	---	---	--	---	---	--	-------------	-------------------------	------------------




1
S2 **ROOF BEAM PLAN**
SCALE 1:100 MTS.



1
S2 **FOUNDATION PLAN**
SCALE 1:100 MTS.



1
S2 **ROOF FRAMING PLAN**
SCALE 1:100 MTS.



TRUSS 1

NOTE:

- USE THE FOLLOWING:
- 2 - 2.0" X 2.0" X 1/4" THK. ANGULAR BAR FOR TOP CHORDS, BOTTOM CHORDS, & KING POSTS ON TRUSS 1 & LT1
 - 2 - 1.5" X 1.5" X 1/4" THK. ANGULAR BAR FOR WEB MEMBERS ON TRUSS 1 & LT1
 - 6mm THICK GUSSET PLATES ON ALL JOINTS
 - 50mm x 150mm x 1.5mm CEE PURLINS SPACED @ 0.60m O.C.
 - 12mm THICK BASE PLATES
 - 12mm Sagrad on quarter span

1
S2 **TRUSS DETAILS**
SCALE 1:100 MTS.

	PREPARED BY: J. J. PASCUAL PDU	END USER: J. B. ESPINELI ADMIN IMUS CAMPUS	REVIEWED BY: L. E. ROSELA CIVIL ENGINEER	ENDORSED BY: S. B. BAYOT JR. HEAD PDU	REC. APPROVAL: O. B. DELOS REYES DIRECTOR PLANNING AND DEV. OFFICE	M. J. D. TEPORA VPPD	J. X. B. NEPOMUCENO VPASS	APPROVED BY: M. D. ROBLES PRES	PROJECT TITLE/LOCATION: REPAIR AND IMPROVEMENT IMUS GUARD HOUSE CAVITE STATE UNIVERSITY	IMUS CAMPUS	IMPLEMENTING AGENCY: CAVITE STATE UNIVERSITY	SHT NO: S - 1
--	--------------------------------------	--	--	---	--	-------------------------	------------------------------	--------------------------------------	---	-------------	---	------------------

SCHEDULE OF COLUMNS

COLUMN	DIMENSION	REINFORCEMENT	NO. OF TIES & SPACING
C1	250 MM X 250 MM	4 - 16mm Ø R.S.B.	2 SETS OF 10mm Ø TIES @ 2-50mm, 4-75mm, 6-100mm, REST @ 200mm O.C.


SCHEDULE OF FOOTINGS

NAME	TYPE	THICKNESS	SIZE (LxW)	DEPTH	REINFORCEMENT			
					TOP		BOTTOM	
					ALONG L	ALONG W	ALONG L	ALONG W
F1	ISOLATED	200 MM	800 x 800 MM	1000 MM	-----	-----	4-16 MM Ø @ 150 MM	4-16 MM Ø @ 150 MM


SCHEDULE OF BEAMS

BEAM	DIMENSION	SUPPORT		MID-SPAN		BAR ARRANGEMENT		STIRRUPS REMARKS	ADDT. REMARKS
		TOP	BOTTOM	TOP	BOTTOM	SUPPORT	MID-SPAN		
TB	200mm X 300mm	2-16 MM Ø	2-16 MM Ø	2-16 MM Ø	2-16 MM Ø			10mm Ø STIRRUPS 4 - 50mm, 6 - 75mm, 6 - 100mm REST @ 200mm O.C.	USE 2 - 12mm Ø STIFFENER BARS
RB	200mm X 300mm	2-16 MM Ø	2-16 MM Ø	2-16 MM Ø	2-16 MM Ø			- DO -	- DO -

	PREPARED BY: J. J. PASCUAL OVPPD	END USER: J. B. ESPINELI ADMIN IMUS CAMPUS	REVIEWED BY: L. E. ROGELA CIVIL ENGINEER	ENDORSED BY: S. B. BAYOT JR. HEAD	ENDORSED BY: O. B. DELOS REYES DIRECTOR PLANNING AND DEVT. OFFICE	REC. APPROVAL: M. J. D. TEFORA VPPD	REC. APPROVAL: J. X. B. NEPOMUCENO VPASS	APPROVED BY: H. D. ROBLES PRES	PROJECT TITLE/ LOCATION: REPAIR AND IMPROVEMENT IMUS GUARD HOUSE CAVITE STATE UNIVERSITY	IMPLEMENTING AGENCY: CAVITE STATE UNIVERSITY	SHT NO: S - 2
---	--	--	--	---	---	---	--	--------------------------------------	--	---	------------------




1
P2 GROUND FLOOR WATER LINE LAYOUT
SCALE 1:100 MTS.




1
P2 GROUND SEWER LAYOUT
SCALE 1:100 MTS.

	PREPARED BY: J. PASCUAL PDU	END USER: J. B. ESPINELI ADMIN IMUS CAMPUS	REVIEWED BY:	ENDORSED BY: S. B. BAYOT JR. HEAD PDU	O. B. DELOS REYES DIRECTOR PLANNING AND DEV. OFFICE	REC. APPROVAL: M. J. D. TEPORA VPPD	J. X. B. NEROMUCENO VPASS	APPROVED BY: H. D. ROBLES PRES	PROJECT TITLE/ LOCATION: REPAIR AND IMPROVEMENT IMUS GUARD HOUSE CAVITE STATE UNIVERSITY	IMPLEMENTING AGENCY: CAVITE STATE UNIVERSITY	SHT NO: P-1
--	-----------------------------------	--	--------------	---	--	---	------------------------------	--------------------------------------	--	---	----------------



1
E2 GROUND FLOOR LIGHTING LAYOUT
SCALE 1:100 MTS.



1
E2 GROUND FLOOR POWER LAYOUT
SCALE 1:100 MTS.

	PREPARED BY: J. PASCUAL PDU	END USER: J. B. ESPINELI ADMIN. IMUS CAMPUS	REVIEWED BY: R. P. PENA ELECTRICAL ENGINEER	ENDORSED BY: S. B. BAYOT JR. HEAD PDU	O. B. DELOS REYES DIRECTOR PLANNING AND DEVT. OFFICE	REC. APPROVAL: M. J. D. TEPORA VPPD	J. X. B. NEPOMUCENO VPASS	APPROVED BY: D. D. ROBLES PRES	PROJECT TITLE/LOCATION: REPAIR AND IMPROVEMENT IMUS GUARD HOUSE IMUS CAMPUS	IMPLEMENTS AGENCY: CAVITE STATE UNIVERSITY	SHT NO: E-1
---	-----------------------------------	---	---	---	---	---	------------------------------	--------------------------------------	---	---	----------------